FAMILY GROUP RECORD

HUSBAND: Franklin Judson DAVIES (AFN:23D0-DK)

BORN:	2 Aug 1806	PLACE: Swegatchie, St. Lawrence, NY	LDS ORDINANCE DATA
CHR.:		PLACE:	B: 2 Oct 1967
DIED:	16 Aug 1888	PLACE: Charleston, Wastach, UT	E: 6 Feb 1846
BUR.:		PLACE:	SP:
MAR.:		PLACE:	SS: 28 Jan 1967 IF

FATHER: Dr. Powell DAVIES (AFN:BLF2-BW)
MOTHER: Esther DAVIES (AFN:BLF2-C3)
OTHER WIVES: Ann RICHMOND (AFN:23D0-FQ)

WIFE: Ann Or Sarah C. RICHMOND (AFN:1QPL-R5)

BORN:	Feb 1816	PLACE: Portland, Leeds, Ontario, Canada	
CHR.:		PLACE:	B: 30 Nov 1967
DIED:	Sep 1851	PLACE: (Crossing The Plains)	E: 16 Sep 1927
BUR.:		PLACE:	SP:

FATHER: David S. RICHMOND (AFN:BFHK-7B)
MOTHER: Mercy Or Merish RAY (AFN:BFHK-8H)
OTHER HUSBANDS:

Sex CHILDREN

1. NAME: Esther Mariah DAVIES (AFN:1QPL-HR)

---	BORN:	13 Mar 1838	PLACE: Pickering Town, Ontario, Canada	B: 1846 2 Oct 1967
F	CHR.:		PLACE:	E: 24 Oct 1855
	DIED:	12 Nov 1909	PLACE: Charleston, Wasatch, UT	SP: 28 Jan 1967 IF
	BUR.:	15 Nov 1909	PLACE: Heber City, Wasatch, UT	
	SPOUSE:	Nymphas Coridon MURDOCK (AFN:4FW1-HJ)		
	MAR.:	6 Dec 1857	PLACE: Salt Lake City, Salt Lake, UT	SS: 6 Dec 1857 EH

2. NAME: Stanley Powel DAVIES (AFN:1QPM-W0)

---	BORN:	4 May 1840	PLACE: Pickering Town, Ontario, Canada	B: 28 Sep 1967
M	CHR.:		PLACE:	E: 17 Sep 1857
	DIED:		PLACE:	SP: 28 Jan 1967 IF
	BUR.:		PLACE:	
	SPOUSE:	Susan FAIRBANKS (AFN:BFHK-NK)		
	MAR.:		PLACE:	SS:

3. NAME: Ann Eliza DAVIS (AFN:1P8P-6F)

---	BORN:	8 Aug 1842	PLACE: Pickering House, Canada	B: 1850
F	CHR.:		PLACE:	E: 18 Sep 1857
	DIED:	8 Apr 1896	PLACE: Mesa, Mericopa, AZ	SP: 28 Jan 1967 IF
	BUR.:		PLACE: Mesa, Maricopa, AZ	
	SPOUSE:	Simeon Cook DROLLINGER SR. (AFN:17R3-C6) and 2 Others		
	MAR.:	4 Dec 1859 (div)	PLACE:	SS: 21 Oct 1865 SL

4. NAME: Emily Amelia DAVIES OR DAVIS (AFN:1QPM-X5)


---	BORN:	2 Jul 1844	PLACE: Pickering Town, Ontario, Canada	B: 2 Oct 1967
F	CHR.:		PLACE:	E: 5 Jun 1913
	DIED:	6 Sep 1940	PLACE:	SP: 28 Jan 1967 IF
	BUR.:		PLACE:	
	SPOUSE:	Cornelius Manderville FAIRBANKS (AFN:BFHK-PQ)		
	MAR.:	6 Apr 1864	PLACE:	SS:

Codes: AFN=Ancestral File Number B=Baptized E=Endowed SS=Sealed to Spouse SP=Sealed to Parents

Franklin Judson Davies

ticoke™ Thoracoscopy Set

matic grasping forceps with -tipped and wide-opening jaws ow careful and precise manipu- of the lung during diagnostic or peutic thoracoscopy.



icoscopy:

- May avoid open thoracotomy
- Allows evaluation of parenchyma, pleura, and mediastinum
- May allow more accurate, minimally invasive staging
- Dramatically reduces both hospital and postoperative recovery

s-on demonstrations and training with **rick K. Toy, M.D.**

Cabot Medical Booth

Monday, October 21
9:30-10:30 a.m.
2:30-3:30 p.m.

Tuesday, October 22
9:30-10:30 a.m.
2:30-3:30 p.m.

Wednesday, October 23
9:30-10:30 a.m.
2:30-3:30 p.m.

HUSBAND: Dr. Powell DAVIES (AFN:BLF2-BW)

BORN: [1780] PLACE: LDS ORDINANCE DATA
CHR.: PLACE: B:
DIED: PLACE: E:
BUR.: PLACE: SP:
MAR.: PLACE: SS:
FATHER:
MOTHER:
OTHER WIVES:

WIFE: Esther DAVIES (AFN:BLF2-C3)

BORN: [1784] PLACE:
CHR.: PLACE: B:
DIED: PLACE: E:
BUR.: PLACE: SP:
FATHER:
MOTHER:
OTHER HUSBANDS:

Sex CHILDREN

1. NAME: Franklin Judson DAVIES (AFN:23D0-DK)
---- BORN: 2 Aug 1806 PLACE: Swegatchie, St. Lawrence, NY B: 2 Oct 1967
M CHR.: PLACE: E: 6 Feb 1846
DIED: 16 Aug 1888 PLACE: Charleston, Wastach, UT SP:
BUR.: PLACE:
SPOUSE: Ann RICHMOND (AFN:23D0-FQ) and 1 Others
MAR.: PLACE: SS: 6 Mar 1853 EH

2. NAME:
---- BORN: PLACE: B:
CHR.: PLACE: E:
DIED: PLACE: SP:
BUR.: PLACE:
SPOUSE:
MAR.: PLACE: SS:

3. NAME:
---- BORN: PLACE: B:
CHR.: PLACE: E:
DIED: PLACE: SP:
BUR.: PLACE:
SPOUSE:
MAR.: PLACE: SS:

4. NAME:
---- BORN: PLACE: B:
CHR.: PLACE: E:
DIED: PLACE: SP:
BUR.: PLACE:
SPOUSE:
MAR.: PLACE: SS:

Codes: AFN=Ancestral File Number B=Baptized E=Endowed SS=Sealed to Spouse SP=Sealed to Parents

Dr Powell Davies

The leaflet explains that during therapy the reaction is expected to be unsightly in the treated areas. In some cases this may last for several weeks following cessation of treatment. Response to Efudex occurs in the following sequence: erythema, usually followed by vesiculation, erosion, ulceration, necrosis and epithelization. The leaflet points out that it is time to stop Efudex if open sores develop. Complete healing of lesions may not be evident for one to two months following cessation of therapy with Efudex.

We hope you will find these materials helpful in your practice. If you would like a supply of these patient aids, please return the enclosed postage-paid reply card. Also, please see the complete listing of adverse effects, which is included in the enclosed complete product information. Should you have any questions, please contact our Professional Services Department at 201-812-2000.